

FastGene[®] Scriptase Basic

Enzyme

Manual

LS52

Version 1.2

April 2017

Store at -20°C

 **NIPPON Genetics EUROPE**

 www.nippongenetics.eu
 info@nippongenetics.eu

TEL +49 2421 55 4960
FAX +49 2421 55 49611

Product description

Reverse transcription

The ability to reverse the process of translation from DNA to RNA has been a crucial application of modern molecular biology. The enzyme, a RNA-dependent DNA-Polymerase is called reverse transcriptase. Reversing the messenger RNA delivers the complementary DNA, which can be detected or quantified using PCR and qPCR approaches.

The lack of the 3' → 5' exonuclease activity made the MuLV increasingly the enzyme of choice. The MuLV has also been used as a template to engineer new enzymes with additional features. The FastGene Scriptase Basic is an enhanced version of the original MuLV RT.

Kit Content (100 Reactions)

- FastGene® Scriptase Basic (200 U/μl)
- 10x FastGene® Scriptase Basic buffer
- dNTP Mixture (2 mM each)
- Sterile water (RNase free)

Quality Control

- Purity: >99% on SDS-PAGE
- Endonuclease-free
- Exonuclease-free
- RNase-free
- Inhibitor-free
- Satisfactory Yield

Concentration of template RNA

- Total RNA: 1 ng-5 μ g
- Messenger RNA (mRNA): 1 ng-0.25 μ g
- Specific RNA: 0.01 μ g-0.5 μ g

1. Mix the recommended concentration of RNA template with 1 μ l oligo dT primer (80 μ M) and/or 1 μ l random hexamer (100 μ M)
2. Incubate at 42 °C for 5 minutes.

Note: Add an additional annealing step of 10 minutes at 25°C if random hexamers are used.

3. Store the RNA mixture on ice and add followed components:

10x FastGene® Scriptase Basic buffer	2 μ l
FastGene® Scriptase Basic (200 units/ μ l)	1 μ l
dNTP mixture (2 mM each)	2 μ l
RNA-Template	x μ l
Primer	1-2 μ l
RNase Inhibitor	0,5 μ l
Distilled Water	up to 20 μ l

4. Incubate at 42°C for 60 min.

Note: FastGene® Scriptase Basic can perform optionally over the full range of 42°C-50°C after optimization.

5. Incubate 90 °C for 5 min for complete enzyme deactivation.

FastGene[®] Scriptase Basic

Enzyme

Please contact us for additional information:

info@nippongenetics.eu

Please contact our technical support:

support@nippongenetics.eu

LS52	FastGene[®] Scriptase Basic (20.000 units at 200 U/μl)	100 Reactions
LS62	FastGene[®] Scriptase Basic cDNA Synthesis containing Oligo dTs, random hexamer and RNase inhibitor	100 Reactions
LS53	FastGene[®] Scriptase II (20.000 units at 200 U/μl)	100 Reactions
LS63	FastGene[®] Scriptase II cDNA Synthesis containing Oligo dTs, random hexamer and RNase inhibitor	100 Reactions

 **NIPPON Genetics EUROPE**