12-11-2017	Genetics
	12-11-2017



Printed at:

Next revision at:

20-07-2018

02-12-2022

FastGene® Q-Stain

Safety Data Sheet according to Annex II of the Regulation (EC) No. 1907/2006 (REACH), amended by the Regulation (EU) 2015/830 Page 1 of 9

1.1	Product identifier						
	Name:	FastGene [®] (FastGene [®] Q-Stain				
	Cat. No.:	FG-QS1					
	EC Substance name:	not available					
	CAS Number:	not available					
	EC Number:	not available					
	REACH Reference Number:	not available					
.2	Relevant identified uses of the s	ubstance or mi	xture and uses advised against				
	Identified uses:	Mixture of ch	nemicals for industrial and public laboratory analysis				
		SU3: industr	ial use, also refer to abbreviation in section 16.				
	Uses advised against:	Unknown.					
.3	Details of the supplier of the safety data sheet						
	Supplier:	NIPPON GENETICS EUROPE GmbH					
		Mariaweilerstraße 28-30					
		D- 52349 Düren, Germany					
		Phone.:	+49 (0) 2421 / 554960				
		Fax:	+49 (0) 2421 / 5549611				
		E-Mail:	info@nippongenetics.de				
		Internet:	www.nippongenetics.eu				
	Information on further details at:	Technical Support					
		Phone:	+49 (0) 2421 / 554960				
		Fax:	+49 (0) 2421 / 5549611				
		E-Mail:	info@nippongenetics.de				
.4	Emergency telephone no:						
	Emergency information:	Phone:	+49 (0) 2421 / 554960				
		Within the business hours: Monday to Friday, 8 a.m. to 5 p.					

2. Hazards identification

2.1 Classification of the substance or mixture Classification according to the Regulation (EC) No. 1272/2008 (CLP); Eye Dam.1; H318

2.2 Labelling elements

Labelling according to the Regulation (EC) No. 1272/2008 (CLP);

 Substance on the label:
 (+)-Tartaric acid

 Pictograms:
 GHS05

 Corrosion
 Corrosion

 Signal word:
 DANGER

 H statements:
 H318
 Causes severe eye damage.

 P statements:
 P260
 Do not breathe dust / fume / mist / spray.

P301+P330+P331

P305+P351+P338

P280

Wear protective gloves/protective clothing/eye protection.

IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

First created at:	12-11-2017	Genetics NIPPON Genetics EUROPE GmbH	Printed at:	20-07-2018
Last revision at:	02-12-2021	www.nippongenetics.eu www.nippongenetics.de	Next revision at:	02-12-2022

FastGene® Q-Stain

S	afety Data Sheet according to Annex II of th	Regulation (EC) No. 1907/2006 (REACH), amended by the Re	gulation		
		(EU) 2015/830			
		Page 2 of 9			
	P3				
	P5	 Dispose of contents/container to disposal according national, regional and local regulations. 	j to the		
2.3	Other hazards:				
	On PBT or vPvB properties of the product	or its ingredients according to the criteria of REACH Annex XIII r	10		
	information is available.				
	Physical-chemical hazardous effects are	nknown. On complains and symptoms as well as to harmful effe	cts no data		
	are available.				
3.	Composition / information on ing	redients:			
3.1	Substances:	not relevant			
3.2	Mixtures:				
	Chemical characterization:				

Aqueous solution of organic ingredients.

Chemical name	REACH Ref. No.	EC No.	Index No.	CAS No.	Content	Classification
(+)-Tartaric acid [(2R,3R)-2,3- dihydroxybutane dioic acid]	01-2119537204- 47	201-766-0	not available	87-69-4	10-20%	Eye Dam.1;H318
Ethanol (ethyl alcohol)	01-2119457610- 43	200-578-6	603-002-00-5	64-17-5	1-5%	Flam.Liq.2;H225 Eye Irrit.2;H319
Sodium benzoate	01-2119460683- 35	208-534-8	not available	532-32-1	<0,1%	Eye Irrit.2;H319
Water	not available	231-791-2	not available	7732-18-5	50->100%	not classified as hazardous
Coomassie brillant blue*	01-2120065623- 57	228-058-4	not available	6104-58-1	<0,01%	not classified as hazardous

^{*} **IUPAC name:** Hydrogen [4-[4-(p-ethoxyanilino)-4'-[ethyl(m-sulphonatobenzyl)amino]-2'-methylbenzhydrylene]-3methylcyclohexa-2,5-dien-1-ylidene](ethyl)(m-sulphonatobenzyl)ammonium, monosodium salt

The wordings of the H statements are listed in section 16.

4. First aid measures

4.1 Description of the first aid measures:

4.1.1 General information:



If complains persist consult a physician. Remove contaminated cloths and shoes, thoroughly clean before re-use. If complains and symptoms occur seek medical advice.

4.1.2 Inhalation:

Remove the affected person to fresh air, bring to rest position, keep warm. If complains and symptoms occur seek medical advice.

4.1.3 Skin contact:

At contact with the skin immediately wash with much water. If complains and symptoms occur seek medical advice.

Last revision at:

02-12-2021

Genetics NIPPON Genetics EUROPE GmbH www.nippongenetics.eu www.nippongenetics.de

Printed at:

Next revision at:

20-07-2018

02-12-2022

FastGene® Q-Stain

Safety Data Sheet according to Annex II of the Regulation (EC) No. 1907/2006 (REACH), amended by the Regulation (EU) 2015/830

Page 3 of 9

4.1.4 Eyes contact:



Thoroughly wash the eyes on spread lids with flowing fresh water for 15 minutes, previously remove contact lenses if possible. Provide ophthalmological treatment.

4.1.5 Ingestion:

Don't induce vomiting. Let rinse the mouth, let spit of the liquid and let drink copious amounts of water. If complains and symptoms occur seek medical advice.

- **4.2 Most important symptoms and effects, both acute and delayed:** Not relevant
- **4.3** Indication of any immediate medical attention and special treatment needed: Decontamination, symptomatic treatment. No specific antidote known.

5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media:

The product is not combustible, adapt the measures to the environment: water spray, carbon dioxide, extinguishing foam and dry extinguishing agent.

Not suitable extinguishing media for safety reasons: Water jet



Special hazards arising from the substance or mixture:

In the fire case toxic gases – carbon monoxide, carbon dioxide, organic decomposition products – may be released.



Advice for fire fighters:

Use a self-contained breathing apparatus (SCBA) at poor ventilation and in closed rooms. Wear protection cloth. Adapt the extinguishing media and fire-fighting measures to the environment.

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Mind the protection measures (section 8). Avoid the contact with skin, eyes and cloth, wear suitable protection equipment. Ensure adequate ventilation. Avoid aerosol formation.

6.2 Environmental precautions:

Do not allow to enter sewers / surface waters / ground water. Remove fire residues and contaminated aqueous wastes in suitable containers and dispose of them in a controlled manner.

6.3 Methods and material for containment and cleaning up:

Take up with liquid-binding agents, e.g. universal binder, treat material as described in section 13 "Disposal considerations". Clean contaminated surfaces with water.

6.4 Reference to other sections:

Refer to section 8 – personal protection and section 13 – information on disposal.

First created at:	12-11-2017
-------------------	------------



Printed at:

Next revision at:

20-07-2018

02

02-12-2022

FastGene[®] Q-Stain

Safety Data Sheet according to Annex II of the Regulation (EC) No. 1907/2006 (REACH), amended by the Regulation (EU) 2015/830

Page 4 of 9

7. Handling and storage

7.1 Precautions for safe handling:

7.1.1 Information on safe use:

Avoid inhalation of aerosol, contact with eyes, skin and cloth, as well as longer or repeated exposure. Provide sufficient ventilation of the working room (local exhaust ventilation if needful). If workplace exposure limits are exceeded, wear appropriate respiratory protection.

7.1.2 Information on fire and explosion protection:

No special measures needful.

7.1.3 Handling rules:

On workplaces only keep available amounts necessary for work progress. Don't leave receptacles stand open. Avoid spilling, preferable handle with non-breakable receptacles or use suitable protection containers on transportation of breakable receptacles.

7.2 Conditions for safe storage considering incompatibilities:

7.2.1 Technical measures and storage conditions:

Keep opened container tightly closed again and stored upright to prevent leakage. Always keep in containers of the same material as the original. Storage temperature 4 ° C recommended. Keep away from sunlight.

7.2.2 Packing materials:

Packing materials must be tested for durability before use.

7.2.3 Requirements for storage rooms and containers:

Storage in passages, stairs, public areas, roofs and workrooms is not permitted. Do not use food containers because of the risk of confusion. Label containers clearly and permanently. If possible, keep in the original container, keep container tightly closed.

7.2.4 Information on cumulative storage:

Storage class: non-combustible corrosive substances.

Nothing but substances of similar properties should be cumulatively stored. Cumulative storage with substances as follows is prohibited:

- Pharmaceuticals, food and feed, including additives.
- Infectious, radioactive and explosive substances.
- Organic peroxides, self-reactive and very reactive oxidizing substances.

7.2.5 Further information to the storage conditions:

7.3 Specific end uses:

none none

8. Exposure controls / personal protection

8.1 Control parameters:

8.1.1 Occupational exposure limits:

Chemical name	EC No.	CAS No.	Exposure limit type / source	Long-term limit value (8h)	Short-term limit value (15 min)
Ethanol (ethyl alcohol)	200-578-6	64-17-5	Workplace exposure limit (WEL) / Guidance note EH40 – Occupational Exposure Limits / United Kingdom	1920 mg/m³	not available

Measuring methods:

MTA/MA-064/A07: Determination of ethylic alcohol in air – Charcoal adsorption method / Gas Chromatography.

NIOSH 1400: Alcohols I.

OSHA ID-100: Ethyl Alcohol.



Printed at:

Next revision at:

20-07-2018

02-12-2022

FastGene® Q-Stain

Safety Data Sheet according to Annex II of the Regulation (EC) No. 1907/2006 (REACH), amended by the Regulation (EU) 2015/830

Pag	ge	5	of	9	

8.1.2 Biological exposure limits:

8.1.3 DNEL and PNEC values:

not available

not available

- Reference: For the assessment of the own risk assessment measures (RMM) with the charge-free tool ECETOC TRAM or with another method possibly a scaling for the proof of the safe use should be performed. Existing DNEL/PNEC values also may be extrapolated based at the concentrations from section 3. If an exposure scenario should be completely applicable, this shall be documented.
- **Remark:** With data given by an extended SDB, this is to be done within one year after receipt of the eSDB.

8.2 Exposure controls:

8.2.1 Personal protection:

Respiratory protection:

No respiratory protection is necessary when working with the small quantities intended for the product. In case of exceptional operating conditions, working with larger quantities and with the risk of aerosol formation use suitable respiratory protection, e.g. half-masks according to EN 140 with filters according to EN 143-P1. Observe wearing time limit.

Hand protection:



At the risk of skin contact with the product, ensure adequate protection by wearing suitable protective gloves, e.g. according to EN 374. Before use, test protective gloves for suitability under the specific working conditions (e.g., mechanical resistance, product compatibility and antistatic properties). Observe the instruction and information on the use, storage, maintenance and replacement of protective gloves. Damaged and worn protective gloves should be replaced immediately.

According to the Safety Test Report, gloves made of latex (ECO Latex PF250) and nitrile (Orange Nitril 260) are not penetrated under the conditions of the Midori glove penetration test.

Eye protection:

Eye protection goggles with side protection (EN 166).

Skin protection

Use clothing usal in the chemical industry. Skin protection agents are not as effective as protective gloves, so they should be preferred as much as possible. If no protective gloves can be worn, apply water-insoluble skin protection preparations to the clean skin before starting work and after every break. Before breaks and at the end of work, skin cleansing with soap and water is required. After cleansing, use a greasy skin care product.

Body protection:

Special body protection generally not required, normal work clothes adequate.

General protection and hygiene measure:

Do not eat, drink or smoke during working hours. Keep away from food and drink. Avoid contact with eyes and skin. Remove contaminated and soaked clothing immediately. Wash hands before breaks and after work.

8.2.2 Limitation of the environmental exposure:

Avoid leaks and spills.

8.2.3 Limitation of the consumer's exposure:

Avoid inhalation of vapors, mists or gases, remove sources of ignition.



Printed at:

20-07-2018

Next revision at:

02-12-2022

FastGene® Q-Stain

Safety Data Sheet according to Annex II of the Regulation (EC) No. 1907/2006 (REACH), amended by the Regulation (EU) 2015/830

Page 6 of 9

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

9.1.1 Appearance: Physical status: liquid Color: clear blue Odor: odorless

9.1.2 Fundamental data relevant for security:

Parameter		Wert	Unit	Method	Remarks
pH value at 20°C		<2		visual by pH paper	
Melting point/range		approx.0	°C		32°F
Boiling point/range		approx.100	°C		212°F
Evaporation rate (water=1)		<1			
Flash point		n.a.	°C		
Self-ignition temperature		n.b.	°C		
Vapor pressure at 20°C		14	mmHg		water
Density		n.d.	g/cm³		
Bulk density		n.d.	g/m³		
Vapor density (air=1)		0.7	g/m³		water
Water solubility at 20 °C			mg/L		unlimited
Granulometry		n.a.	μm		
Partitition coeffizient: n- octanol/water log K _{ow}		n.d.			
Dynamic viskosity		n.b.	mPa*s		
Evologion limit	lower:	n.a.	Vol.%		
Explosion limit upp		n.a.	Vol%		
n.a.: not applicable	1	ł	n.d.: no	t determined	1

9.2 Other information:

not relevant

10. Stability and Reactivity

10.1 Reactivity:

Not reactive under the intended use and storage conditions.

10.2 Chemical stability:

Chemically stable under the intended use and storage conditions.

10.3 Possibility of hazardous reactions:

Unknown under the intended use and storage conditions.

10.4 Conditions to avoid:

High temperature.

10.5 Incompatible materials:

Strong acids and bases, oxidizing and reducing agents

First created at:

Last revision at: 02-12-2021



Printed at:

Next revision at:

20-07-2018

02-12-2022

FastGene[®] Q-Stain

Safety Data Sheet according to Annex II of the Regulation (EC) No. 1907/2006 (REACH), amended by the Regulation (EU) 2015/830

Page 7 of 9

10.6 Hazardous decomposition products

At high temperature carbon monoxide, carbon dioxide, organic decomposition products.

11. Toxicological information

11.1 Information on toxicological effects:

11.1.1 Toxicocinetics, metabolism and distribution:

No data available.

11.1.2 Acute toxicity:

No data available.

11.1.3 Corrosive and irritation effects:

Classified as skin corrosive and eye damaging with Skin Corr.1; H314 on the basis of an extreme pH value <2. The in-vitro test OECD 431 on skin corrosion by reconstructed human epidermis (RHE) resulted positive.

11.1.4 Sensitizing effects:

No data available.

11.1.5 Subacute and chronic toxicity:

No data available.

11.1.6 Carcinogenicity, mutagenicity and reproduction toxicity:

On carcinogenicity, mutagenicity and reproduction toxicity of the product no data are available.

11.1.7 Experience from practise:

No data available.

11.1.8 General remarks:

When handled appropriate and used as intended, the product does not cause harmful effects according to our experience and current information.

12. Ecological information

	5	
12.1	Toxicity:	No data available.
12.2	Persistence and degradability:	
	Biological degradation:	No data available.
	Abiotic degradation:	No data available.
12.3	Bio-accumulation potential:	No data available.
12.4	Mobility in soil:	
	Absorption/Desorption:	No data available.
12.5	Volatibility:	No data available.

12.6 Results of the PBT and vPvB assessment:

On PBT or vPvB properties of the product or its ingredients according to the criteria of REACH Annex XIII no information is available.

12.7 Other adverse effects:

Ozone depletion potential and global green-house effects are not known.

General remarks:

When handled appropriate and used as intended, the product does not cause adverse effects according to our experience and current information, but should not be discharged into large quantities into an outflow or water body.

First created at:	
-------------------	--

12-11-2017

Last revision at: 02-12-2021



Printed at:

Next revision at:

20-07-2018

02-12-2022

FastGene[®] Q-Stain

Safety Data Sheet according to Annex II of the Regulation (EC) No. 1907/2006 (REACH), amended by the Regulation (EU) 2015/830

Page 8 of 9

13. Disposal considerations

13.1 Waste treatment methods:

13.1.1 Product:

The allocation of a waste code number according to the European waste catalog should be done in consultation with the regional waste disposal company. Recommendation:

AVV waste code number: 16 05 09	discarded chemicals other than those mentioned in 16 05 06, 16 05 07 or 16 05 08
---------------------------------	----------------------------------------------------------------------------------

13.1.2 Packaging:

Residues in packages should be removed, preferably by rinsing with water, and after complete emptying in accordance with the regulations for waste disposal. Packaging which is not completely emptied must be disposed of in the form as determined by the regional waste disposal company. Recommendation:

AVV waste code number:	15 01 06	mixed packaging
------------------------	----------	-----------------

14. Transport information

	•				
14.1	UN number:	N.A.			
14.2	UN proper shipping name:				
	Not regulated				
14.3	Transport hazard class(es)	N.a.	Hazard label:	N.a.	
14.4	Packaging group:	N.a.	Hazard number:	N.a	
14.5	Environmental hazards: ref	er to section 12	Marine Pollutant:	no	
14.6	Special precautions for use	er:	refer to section 9		
14.7	Transport in bulk according	to Annex II of	MARPOL73/78 and the	IBC Code:	not relevant
	Transport category:	N.a.			
	Tunnel code:	N.a.			

15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1 EU Regulations:

Classification and labelling acc. to Regulation (EC) No. 1272/2008 (CLP):

The product is subject to classification and labelling. Refer to section 2.

not applicable

Information on Directive 1999/13/EG on VOC emission limitations: 1.6% VOC in the product

15.1.2 National regulations (United Kingdom):

Authorizations and/or use restrictions:

Classification and labelling:

The product is due to labelling according to the UK regulations.

Other U.K. regulations and guidance:

Health and Safety at Work Act 1974.

The Management of Health and Safety at Work regulations 1992.

L5 Control of substances hazardous to Health. The Control of Substances Hazardous to Health Regulations 2002. Approved codes of practice and guidance.

Guidance Note EH40 – Occupational Exposure Limits.

BS EN ISO 10882-1:2001 - health and safety in welding and allied processes - sampling of air-borne particles and gases in operator's breathing zone – part 1: sampling of airborne particles.



Printed at:

Next revision at:

20-07-2018

02-12-2022

FastGene[®] Q-Stain

Safety Data Sheet according to Annex II of the Regulation (EC) No. 1907/2006 (REACH), amended by the Regulation (EU) 2015/830 Page 9 of 9

15.2 Chemical safety assessment:

Chemical safety assessments (CSA) according to the Article 14 Paragraph 1 of the Regulation (EC) No 1907/2006 (REACH) are not available.

16. Other information

16.1 Wordings of the H-statements from the sections 2 and 3:

H225	Highly flam	mable liqu	uid and v	/apour.
	~			

- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.

16.2 Training advice:

Instruction on hazardous substances is mandatory.

16.3 Abbreviation /Explanation:

SU3:	Descriptor for industrial users from ECHA Guide Chemical Safety Information Requirements R.12		
	https://echa.europa.eu/documents/10162/13632/information_requirements_r12_de.pdf		
PNEC:	Predicted No Effect Concentration		
DNEL:	Derived No Effect Level		
ECETOC-TRAM:	Tool free of charge for proving the safe use of registered substances.		
	http://www.ecetoc.org/tra		

16.4 Recommended use restriction:

Not recommended for consumer's use.

16.5 Data sources of the Safety Data Sheet creation:

Information on registered substances, European Chemicals Agency (ECHA); Internet: <u>http://echa.europa.eu/de</u>. Information System on Hazardous Substances of the German Social Accident Insurance (GESTIS), Internet: <u>http://www.hvbg.de/d/bia/gestis/stoffdb/index.html</u>.

Hazardous Substances Data Bank (HSDB) – U.S. National Library of Medicine, Internet: <u>http://toxnet.nlm.nih.gov</u> Hommel interaktive 4.0 – Handbook of Dangerous Goods, Internet: <u>http://www.springer.com/dal/home/chemistry</u> CRC Handbook of Chemistry and Physics, 88th Edition, 2007-2008, Internet: <u>http://www.hbcpnetbase.com</u> Safety Data Sheet of the suppliers.

16.6 Amended information and reason for amendment:

Prior version:	Version number	1.1	Date:	20.07.2020	
Actual version:	Versionsnummer	1.2	Datum:	02.12.2021	
Kind of amendent:	New address	New address			
Reason for amendment: Reevaluation of rating as dangerous goods					

16.7 Remarks:

This information is only intended to describe the safety requirements of the product and is based on the present state of our knowledge. They do not constitute a guarantee for the characteristics of the product described in the sense of the statutory warranty regulations. Please refer to the respective product data sheets for the delivery properties. If the product mentioned in this Material Safety Data Sheet is blended, mixed or processed with other materials, the data in this Material Safety Data Sheet may not be transferred to the new material, unless otherwise specified.

END of MSDS